

Product name	Confidentiality level
E5373	CONFIDENTIAL
Product version	Total 5 pages
V1.0	

E5373WEBUI Release Notes

Prepared by	E5377 Team	Date	2014-08-12
Reviewed by	E5377 Team	Date	2014-08-12
Approved by		Date	



Huawei Technologies Co., Ltd.

All rights reserved

Revision Record

Date	Revision version	FW-WebUI/HiLink Version	Change Description	Author
2014-08-12	1.0	WebUI: 17.100.02.00.143	<i>First Version</i>	E5373 Team

Table of Contents

1. Version Description	4
2. WebUI Specifications	4
3. Improvement in the Previous Version (17.100.02.00.143)	4
4. Known Limitations and Issue	5

E5373WEBUI Release Notes





1. Version Description

WebUI: WEBUI_17.100.02.00.143_V7R2

2. WebUI Specifications

Item	Specifications
NA	NA

3. Improvement in the Previous Version (17.100.02.00.143)

Index	Case ID	Issue Description
1	WEB logo	
2	WEB style	  
3	Language	English+ Russia(default)
4	WEBUI Log In	IP: 192.168.8.1 User name: admin Password: admin
5	WLAN parameters	SSID: MTS828F-XXXX XXXX is the last four characters of the MAC Address, MAC Address is capital) WIFI key: 8 random numbers (numbers +letters) Auth mode: WPA2-PSK
6	Profile parameters	Profile Name: MTS Internet APN: internet.mts.ru User Name: mts Password: mts Auth:CHAP
7	Dial-up parameters	Dial-up: Auto

8	Operator and PLMN	PLMN=25001 Operator name=MTS RUS
9	SIMLOCK	25001,25501,25702,43407,43801,60202,26202,22210,21401,28602,23003,23415,20404,20205,26801,21670,40420,40427,40411,22601
10	Web style	Log in first before entering home page The up and down arrows data switch replaced as follow text: Russia:О Т К Л Ю Ч И Т Ъ English: DISCONNECT(color:red) П О Д К Л Ю Ч И Т Ъ CONNECT(color:green)
11	strings	Fixup WEBUI Strings
12	Device info	Device information is 828F
13	Net mode	Modify 4G to 4G-LTE
14	Pin	Remember My selection not checked as default
15	network	In Manual searching network list,setting 25011as forbidden network
16	5G wifi	Support 5G WiFi,channel:{36-48}、 { 149-165 }
17	Menu	move update to setting directory at same level
18	DHCP lease time	Change the unit of dhcp lease time as hour

4. Known Limitations and Issue

Index	Case ID	Issue Description
NA		