

Product name	Confidentiality level
E5373	CONFIDENTIAL
Product version	Total 5 pages
V1.0	

E5373sWEBUI-17.100.03.00.1133 Release Notes

Prepared by	E5373 Team	Date	2014-09-01
Reviewed by	E5373 Team	Date	2014-09-01
Approved by		Date	



Huawei Technologies Co., Ltd.

All rights reserved

Revision Record

Date	Revision version	FW-WebUI/HiLink Version	Change Description	Author
2014-09-01	1.0	WebUI: 17.100.03.00.1133	<i>First Version</i>	E5373 Team

Table of Contents

1. Version Description	4
2. WebUI Specifications	4
3. Improvement in the Previous Version (17.100.03.00.1133)	4
4. Known Limitations and Issue	4



E5373sWEBUI-17.100.03.00.1133 Release Notes

1. Version Description

WebUI: WEBUI_17.100.03.00.1133_V7R2

2. WebUI Specifications

Item	Specifications
1	WebUI languages are English(default) and Arabic
2	IP: 192.168.8.1 User name: admin Password: admin
3	SSID: HUAWEI-E5373-****,**** is last of MAC WIFI KEY: 8 random digit(include digit and letters) WIFI authentication methods: WPA2-PSK
4	Customise Autor APN
5	APN Retry function default enable
6	Customise operatorlist
7	Power to detect SIM card HPLMN, if the SIM card is 42003 HPLMN only registered Band38 (TDD2600)
8	Add common USSD function
9	4G light to replace SMS light 3G light to replace the breathing light
10	Update address : http://update-africa.huaweidevice.com/africa

3. Improvement in the Previous Version (17.100.03.00.1133)

Index	Case ID	Issue Description

4. Known Limitations and Issue

Index	Case ID	Issue Description
-------	---------	-------------------



NA		
----	--	--