

Product name	Confidentiality level
E5377s-327	CONFIDENTIAL
Product version	Total 7 pages
V3.2	

HUAWEI E5377s-327TCPU-V200R001B292D99SP10C00

## Release Notes V3.2

Prepared by	Xinyouqiang00127421	Date	2014/7/30
Reviewed by	wangxinxin00117531	Date	2014/7/30
Approved by		Date	



**HUAWEI**

Huawei Technologies Co., Ltd.

## Revision Record

Date	Revision version	FW-WebUI/HiLink Version	Change Description	Author
2014-1-21	1.0	FW 21.250.99.02.00	The V3 Burn Version	Xinyouqiang00127421
2014-2-14	1.1	FW 21.270.99.01.00	The V3.1 Burn Version	Xinyouqiang00127421
2014-2-27	1.2	FW 21.280.99.01.00	Support E5377s-32 and E5377s-32 V3 Burn Versino	Xinyouqiang00127421
2014/3/11	1.3	FW 21.280.99.03.00	The E5377Bs-605 VN1 Burn Version	Xinyouqiang00127421
2014/3/14	1.4	FW 21.280.99.05.00	The E5377Ts-32 V3 Burn Version	Xinyouqiang00127421
2014/3/31	1.5	FW 21.280.99.07.00	E5377s-32 VN1 Burn Version	Xinyouqiang00127421
2014/4/3	1.6	FW 21.285.99.00.00	The E5377Bs-605 VN2 Burn Version	Xinyouqiang00127421
2014/4/15	1.7	FW 21.285.99.01.00	The E5377Bs-605 VN2 Burn Version	Xinyouqiang00127421
2014/4/15	1.8	FW 21.285.99.02.00	The E5373s-155 VN1 Burn Version	Xinyouqiang00127421
2014/4/26	1.9	FW 21.285.99.03.00	The E5377Bs-508 VN1 Burn Version	Xinyouqiang00127421
2014/5/6	2.0	FW 21.285.99.05.00	The E5373s-155 VN1 Burn Version	Xinyouqiang00127421
2014/5/7	2.1	FW 21.285.99.06.00	The E5377s-32/E5377Ts-32 VN2 Burn Version	Xinyouqiang00127421
2014/5/27	2.2	FW 21.292.99.00.00	The E5377Bs-508 VN2 Burn Version	Xinyouqiang00127421
2014/6/10	2.3	FW 21.292.99.01.00	The E5373s-155 VN2 Burn Version	Xinyouqiang00127421
2014/6/12	2.4	FW 21.292.99.02.00	The E5373s-155 VN2 Burn Version	Xinyouqiang00127421
2014/6/14	2.5	FW 21.292.99.03.00	The E5373s-155 VN2 Burn Version	Xinyouqiang00127421
2014/6/21	2.6	FW 21.292.99.04.00	The E5373s-928/157 VN1 Burn Version	Xinyouqiang00127421
2014/7/3	2.7	FW 21.292.99.05.00	E5377Bs-605/Bs-508/s-32/Ts-32, E5373s-155 Burn update	Xinyouqiang00127421
2014/7/3	2.8	FW 21.292.99.06.00	The E5373s-928 VN1 Burn Version	Xinyouqiang00127421
2014/7/21	2.9	FW 21.292.99.07.00	The E5373s-928 VN2 Burn Version	Xinyouqiang00127421
2014/7/31	3.0	FW 21.292.99.08.00	The E5373s-928 VN2' Burn Version	Xinyouqiang00127421
2014/9/20	3.1	FW 21.292.99.09.00	The E5373s-155 MR Burn Version	Xinyouqiang00127421
2014/10/29	3.2	FW 21.292.99.10.00	The E5377s-327 VN2 Burn Version	Liujuan00131021

# Table of Contents

1	Main Features .....	4
2	Hardware.....	4
2.1	Version Description .....	4
2.2	Hardware Specifications .....	4
2.3	Improvements in the Previous Version .....	5
2.4	Known Limitations and Issues .....	5
3	Firmware .....	5
3.1	Version Description .....	5
3.2	Firmware Specifications .....	6
3.3	Improvement in the Previous Version .....	6
3.4	Known Limitations and Issues .....	6
4	WebUI/HiLink .....	6
4.1	Version Description .....	6
4.2	WebUI/HiLink Specifications .....	6
4.3	Improvement in the Previous Version .....	6
4.4	Known Limitations and Issues .....	7
5	Accessory Product from other Vendor .....	7
5.1	Version Description .....	7
5.2	Known Limitations and Issues .....	7
6	Others .....	7
7	Reference .....	7

# HUAWEI E5377s-327TCPU-V200R001B292D99SP10C00

## Release Notes V3.2

Abbreviations	Description

## 1 Main Features

The E5377s-327 supports the following features:

- *LTE data service up to 150 Mbit/s(cat 4)*
- *DC-HSPA+ data service up to 43.2 Mbit/s*
- *HSPA+ data service up to 21.6 Mbit/s*
- *HSDPA packet data service of up to 14.4 Mbit/s*
- *HSUPA data service up to 5.76 Mbit/s*
- *WCDMA PS domain data service of up to 384 Kbit/s*
- *Equalizer and receive diversity*
- *microSD Card Slot (Up to 32G)*
- *Data and SMS Service*
- *WEB UI, Auto connect*
- *Plug and play*
- *Nonstandard USB3.0 ,and USB2.0*
- *Support menu operation on LCD*
- *Support WiFi 2.4GHz/5GHz*
- *Support Windows XP/Windows 7/Windows 8/MAC...*

## 2 Hardware

### 2.1 Version Description

Hardware Version:	CL1E5377SM02
Platform & Chipset:	Balong Hi6930 V7R2M, Broadcomm 43241

### 2.2 Hardware Specifications

Item	Specifications	
Technical Standard	3GPP	R99/R5/R6/R7/R8/R9
	IEEE	802.11b/g/n
Operating Frequency	LTE	B1、B3、B5、B7、B8、B20、B19
	UMTS	B1、B2、B5、B8、B19
	GSM	EDGE/GPRS/GSM: 1900/1800/900/850 MHz
Maximum Transmitter Power	LTE	+23dBm (Class 3)
	UMTS	+24dBm (Class 3)
Maximum Power Consumption	5W	
Memory	256M NAND Flash, 128M DDR	

WLAN Rate	802.11b: 11Mbit/s, 5.5Mbit/s, 2Mbit/s, 1Mbit/s 802.11g: 54Mbit/s, 48Mbit/s, 36Mbit/s, 24Mbit/s, 18Mbit/s, 12Mbit/s, 9Mbit/s, 6Mbit/s 802.11n: MCS0-MCS7(WiFi 1x1), MSC0-MCS15(WiFi 2x2)
External Interfaces	Micro USB interface
	1.45 inch TFT LCD
	SIM/USIM card: 6pin, 1.8/3V
	SD card: up to 32GB
Display	1.45 inch TFT LCD
Keys	1 Power, 1 Menu, 1 Reset
Antenna	Internal
Static Receiver Sensitivity	LTE: Confirm to 3GPP Requirements UMTS: Confirm to 3GPP Requirements
Battery	1500mAh
Dimensions (D × W × H)	106*66*15.9 mm
Weight	<200g(include Battery)
Ambient Temperature	0-35°C
Humidity	5%-95%

## 2.3 Improvements in the Previous Version

Index	Case ID	Issue Description
Hardware Version		CL1E5377SM02
Previous Hardware Version		CL1E5377SM02
NA		

## 2.4 Known Limitations and Issues

Index	Case ID	Issue Description
NA		NA

# 3 Firmware

## 3.1 Version Description

Firmware Version:	21.292.99.10.00
Baseline information	Hi6930 V7R2 C00B292

## 3.2 Firmware Specifications

Item	Specifications

## 3.3 Improvement in the Previous Version

Index	Case ID	Issue Description
Firmware Version		21.292.99.10.00
Previous Version	Firmware Version	NA
1		
2		
3		

## 3.4 Known Limitations and Issues

Index	Case ID	Issue Description
1	Unrealized Features	NA
2		
3		

# 4 WebUI/HiLink

## 4.1 Version Description

WebUI/HiLink Version:NA

## 4.2 WebUI/HiLink Specifications

Item	Specifications

## 4.3 Improvement in the Previous Version

Index	Case ID	Issue Description
WebUI Version		
Previous Version	WebUI Version	

Index	Case ID	Issue Description
WebUI Version		
Previous WebUI Version		
1	New Features	
2		
3		

#### 4.4 Known Limitations and Issues

Index	Case ID	Issue Description
1	Unrealized Features	
2		
3		

## 5 Accessory Product from other Vendor

### 5.1 Version Description

Accessory Product Version:

### 5.2 Known Limitations and Issues

## 6 Others

## 7 Reference