

Product name	Confidentiality level
E8372h	CONFIDENTIAL
Product version	Total 6 pages
V1.0	

# E8372h Firmware Release Notes

## V1.0

Prepared by	Huwuming	Date	2015-4-7
Reviewed by	Xujun,zhaogang	Date	2015-4-7
Approved by		Date	



Huawei Technologies Co., Ltd.

All rights reserved

## Revision Record

<b>Date</b>	<b>Revision version</b>	<b>FW-WebUI/Stick Version</b>	<b>Change Description</b>	<b>Author</b>
2014-12-17	1.0	FW 21.200.01.00.00	<i>First version</i>	Tanzhengbin
2014-12-24	2.0	FW 21.200.07.00.00	<i>Second version</i>	Tanzhengbin
2015-3-13	3.0	FW 21.200.09.00.00	<i>Third version</i>	Huwuming
2015-4-7	4.0	FW 21.200.11.00.00	<i>Fourth version</i>	Huwuming
2015-4-17	5.0	FW 21.200.13.00.00	<i>Fifth version</i>	Huwuming

# Table of Contents

1	Main Features .....	4
2	Firmware .....	4
2.1	Version Description .....	4
2.2	Firmware Specifications .....	4
2.3	Improvement in the Previous Version .....	5
2.4	Known Limitations and Issues .....	5



# E8372h Firmware Release Notes V1.0

## 1 Main Features

The E8372h supports the following standards:

- LTE cat4 data service up to 150Mbit/s (Downlink) and 50Mbit/s(Uplink)
- DC-HSPA+ data service up to 43.2 Mbit/s
- HSPA+ data service up to 21.6 Mbit/s
- HSDPA packet data service of up to 14.4 Mbit/s
- HSUPA data service up to 5.76 Mbit/s
- WCDMA PS domain data service of up to 384 Kbit/s
- Equalizer and receive diversity
- microSD Card Slot (Up to 32G)
- Data and SMS Service
- Plug and play
- Standard USB interface
- CSFB

## 2 Firmware

### 2.1 Version Description

Firmware Version:	21.200.13.00.00
Baseline information	Balong V7R11 C30B200

### 2.2 Firmware Specifications

Firmware		
Item	Specifications	
Version	21.200.13.00.00	
Information	Platform	Balong V7R11
	Baseline	C30B200
	Feature	LTE Supported
Data service	GSM CS domain	<ul style="list-style-type: none"> <li>● Uplink: 9.6/14.4 kbit/s</li> <li>● Downlink: 9.6/14.4 kbit/s</li> </ul>
	GPRS	<ul style="list-style-type: none"> <li>● Uplink: 85.6 kbit/s</li> <li>● Downlink: 85.6 kbit/s</li> </ul>
	EDGE	<ul style="list-style-type: none"> <li>● Uplink: 236.8 kbit/s</li> <li>● Downlink: 236.8 kbit/s</li> </ul>



Firmware		
Item	Specifications	
	UMTS PS domain	<ul style="list-style-type: none"><li>• Uplink: 384 kbit/s</li><li>• Downlink: 384 kbit/s</li></ul>
	HSDPA	<ul style="list-style-type: none"><li>• 14.4Mbit/s</li></ul>
	HSUPA	<ul style="list-style-type: none"><li>• 5.76 Mbit/s</li></ul>
	HSPA+	<ul style="list-style-type: none"><li>• 21.6Mbit/s</li></ul>
	DC HSPA+	<ul style="list-style-type: none"><li>• Uplink:5.76 Mbit/s</li><li>• Downlink:43.2Mbit/s</li></ul>
	LTE FDD	<ul style="list-style-type: none"><li>• Uplink: 50Mbit/s</li><li>• Downlink:150Mbit/s</li></ul>
SMS	<ul style="list-style-type: none"><li>• SMS over SGs</li></ul>	
Operating System	<ul style="list-style-type: none"><li>• Windows XP/Windows Vista/WIN 7/MAC/WIN8</li></ul>	

### 2.3 Improvement in the Previous Version

Index	Case ID	Issue Description

### 2.4 Known Limitations and Issues

Index	Case ID	Issue Description