

Product name	Confidentiality level
UTPS	INTERNAL
Product version	Total 19 pages
V200R002	

UTPS22.001.19.10.55 Release Notes

Prepared by Kiran B. Mohan

Date 2015-02-12



Huawei Technologies Co., Ltd.

All rights reserved



Revision record

Date	Revision version	change Description	Author
2010-11-29	1.00	First establish	Tian Xiaodong
2011-1-1	1.01	Bug Fix	Huo Xiang
2011-1-10	1.02	Bug Fix	Xu Feng
2011-1-15	1.03	Bug Fix	Xu Feng
2011-1-21	1.04	Bug Fix	Xu Feng
2011-1-28	1.05	Bug Fix	Xu Feng
2011-1-31	1.06	Bug Fix	Tian Xiaodong
2011-2-1	1.07	Bug Fix	Tian Xiaodong
2011-2-9	1.08	Bug Fix	Tian Xiaodong
2011-3-4	1.09	Bug Fix	Xu Feng
2011-3-16	1.10	Bug Fix	Zengxiangxun
2011-3-31	1.11	Bug Fix	Zengxiangxun
2011-4-7	1.12	Bug Fix	Huo Xiang
2011-4-8	1.13	Bug Fix	Xu Feng
2011-4-20	1.14	Bug Fix	Huo Xiang
2011-4-26	1.15	Bug Fix	Xu Feng
2011-4-27	1.16	Bug Fix	Xu Feng
2011-4-29	1.17	Bug Fix	Huo Xiang
2011-5-10	1.18	Bug Fix	Huo Xiang
2011-5-18	1.19	Bug Fix	Xu Feng
2011-6-8	1.20	Bug Fix	Xu Feng
2011-6-13	1.21	Bug Fix	Xu Feng
2011-6-17	1.22	Bug Fix	Xu Feng
2011-6-22	1.23	Bug Fix	Xu Feng
2011-6-29	1.24	Bug Fix	Xu Feng
2011-9-2	1.25	Bug Fix	Gao Xiangbing
2011-10-15	1.26	Bug Fix	Gao Xiangbing
2011-10-19	1.27	Bug Fix	Gao Xiangbing
2012-01-06	1.28	Bug Fix	Duan Pengtao
2012-01-16	1.29	Bug Fix	Duan Pengtao
2012-03-30	1.30	Bug Fix	Duan Pengtao
2012-05-15	1.31	Bug Fix	Zhaogyibing
2012-06-06	1.32	Bug Fix	Zhaogyibing
2012-07-12	1.33	Bug Fix	Zhaogyibing
2012-08-01	1.34	Bug Fix	Zhaogyibing
2012-08-11	1.35	Bug Fix	Zhaogyibing
2012-09-26	1.36	Bug Fix	Zhaogyibing



2012-10-11	1.37	Bug Fix	zhouchangfu
2012-10-17	1.38	Bug fix	zhouchangfu
2012-11-30	1.39	Bug fix	zhouchangfu
2013-02-27	1.40	Bug fix	Zhouchangfu
2013-05-15	1.41	New product	Zhaoyibing
2013-07-26	1.42	Bug fix	Zhaoyibing
2013-08-29	1.43	Bug fix	zhangxiaoliang
2013-10-14	1.44	Bug fix	GuoJinbiao
2013-11-28	1.45	Support Windows8.1	GuoJinbiao
2014-01-22	1.46	Bug fix	GuoJinbiao
2014-02-17	1.47	Bug fix	GuoJinbiao
2014-04-23	1.48	Bug fix	GuoJinbiao



Table of Contents

1	Dashboard.....	5
1.0.0	Version Description	5
2.0.0	Improvement in the previous version	5
3.0.0	Known limitations and issues	19



1 Dashboard

1.0.0 Version Description

UTPS 22.001.19.10.55

Added IMSI based Profile and Roaming partner customization.

2.0.0 Improvement in the previous version

Version UTPS 22.001.19.10.55

Version	Features(New/Modify)
UTPS 22.001.19.10.55	1) Added IMSI based Profile customization 2) Added Roaming partner customization

Version UTPS 22.001.19.09.55

Version	Features(New/Modify)
UTPS 22.001.19.09.55	3) Change the USSD strings based on IMSI – For Prepaid options: in german language. 4) Operator name customization. 5) Make "Close automatically when device is unplugged" selected as default.

Version UTPS 22.001.19.08.55

Version	Features(New/Modify)
UTPS 22.001.19.08.55	6) Change the USSD strings based on IMSI – For Prepaid options: in english and german language. 7) Security Redline Fix

Version UTPS 22.001.19.07.55

Version	Features(New/Modify)
UTPS 22.001.19.07.55	8) Support IMSI based USSD. 9) Updated latest driver.

Version UTPS 22.001.19.05.55

Version	Features(New/Modify)
UTPS 22.001.19.05.55	10) Fixed windows vista online update issue 11) Signed dlls. 12) Updated latest driver.

Version UTPS 22.001.19.04.55

Version	Features(New/Modify)
---------	----------------------



UTPS 22.001.19.04.55	1) Customize Logo 2) Customize Strings
----------------------	---

Version UTPS 22.001.19.02.55

Version	Features(New/Modify)
UTPS 22.001.19.02.55	<ul style="list-style-type: none">3) Customize APN4) Poland subnet requirements : [T-Mobile services] -> Witryna internetowa T-Mobile [Internet website T-Mobile] change to: http://www.t-mobile.pl/pl/indywidualni/taryfy/internet/blueconnect_komputer/abonament5) Poland subnet requirements : [T-Mobile services] -> Moje T-Mobile (konto online) [My T-Mobile](online account) change to: https://i-boa.t-mobile.pl/iboa3/auth2/auth.html6) Poland subnet requirements : operator name custom (26002) : If SPN field in SIM Card is empty should be displayed "T-Mobile.pl" .7) Poland subnet requirements : In update software menu button "Zakończ" should be change to " OK " .8) Poland subnet requirements : Modify strings.9) Hungary subnet requirements : Wrong displayed network technology on LTE. 4G should be LTE10) Austria subnet requirements :<ul style="list-style-type: none">1) (23207) PLMN Display should be (short name) "tele.ring" , (long name) "T-Mobile Telering" .2) Roaming display strategy: when Insert 23207 Telering SIM card, 23203 network name need to display as tele.ring.3) Roaming tips: Tele.ring 23207 & TMA 23203 should not show roaming reminder. Other networks need to be reminded.11) Romania subnet requirements : 22606 and 22603 should not show roaming.

Version UTPS 22.001.18.92.55

ID	Level	Summary	Status
54035	1-High	Under Win8.1/64bit the "SetupUI.exe stopped" error message pops up cyclically.	Fixed
54061	2-Medium	Croatian Translation issues	Fixed
54494	1-High	When the installer is running a command line window pops up with the next text: Untested Windows version 6.2 detected	Fixed

Version UTPS 22.001.18.91.55

ID	Level	Summary	Status
50863	2-Medium	Firmware based PLMN names	Fixed
51104	2-Medium	Dashboard PL translation is very poor	Fixed
53282	3-Low	Switched Import and export buttons	Fixed
54022	3-Low	Missing letters in CZ language	Fixed
47326	2-Medium	3 translation issues	Fixed



54061	2-Medium	Croatian Translation issues	Fixed

Version UTPS 22.001.18.90.55

ID	Level	Summary	Status
NA	NA	Replace the driver.	Fixed
52639	3-Low	Typo in dashboard	Fixed
51701	1-High	Wrong displayed network technology on LTE	Fixed
NA	NA	Replace the autorun	Fixed
NA	NA	Support Windows8.1	Fixed

Version UTPS 22.001.18.87.55

ID	Level	Summary	Status
51701	1-High	Wrong displayed network technology on LTE	Fixed
51153	2-Medium	Import/Export options are replaced	Fixed
51885	1-High	DUT does not connect to LTE in NL network	Fixed
49159	1-High	Wrong APN set as default	Fixed
50863	2-Medium	Firmware based PLMN names	Fixed
50995	1-High	Dashboard: wrong Network Operator Name	Fixed
51552	1-High	Wrong network operator name displayed for TMA	Fixed
51554	2-Medium	Wrong network operator name displayed in roaming case	Fixed
51702	1-High	Wrong network name in the Usage History	Fixed
51796	2-Medium	Translation new	Fixed
51793	1-High	Link to TMPL website's	Fixed
51556	1-High	Automatic selection of NATCO profile doesn't work	Fixed

Version UTPS 22.001.18.83.55

ID	Level	Summary	Status
50845	1-High	Dashboard needs admin rights to be start	Fixed
49159	1-High	Internet APN must be set as default for all LTE devices	Fixed
50995	1-High	Wrong Network Operator Name	Fixed
50996	1-High	Wrong APN configuration	Fixed
51104	1-High	Dashboard PL translation is very poor	Fixed
50837	2-Medium	Checked the option "Launch on OS startup"	Fixed
50777	2-Medium	Dashboard needs admin rights to be start	Fixed
49106	3-Low	NL change "Afwerking" to "Afsluiten"	Fixed
NA	NA	Update Driver	Fixed

Version UTPS 22.001.18.79.55

ID	Level	Summary	Status
NA	2-Medium	Optimization WIN8 patch version	Fixed

Version UTPS 22.001.18.76.55

ID	Level	Summary	Status
----	-------	---------	--------



NA	NA	Support E3276 and set HR (21901) default LTE APN (Internet);	Fixed
NA	NA	Add TMHU (21630) LTE APN (T-Mobile H);	Fixed

Version UTPS 22.001.18.74.55

ID	Level	Summary	Status
8464	2-Medium	No warning if Autoconnect in roaming case is chosen	Fixed
8435	2-Medium	Missing space between unit and counter	Fixed
8465	2-Medium	Icon: Shourtcut icon should have a higher resolution	Fixed
8466	2-Medium	Reception of combined SMS are not shown correctly	Fixed
8467	2-Medium	Wording and Design issues	Partial Fixed
46882	1-High	Incorrect behaviour during manual selecting of other than home network	Fixed
46873	2-Medium	SMS replacement mechanism does not work	Fixed
46883	2-Medium	PIN code in CZ dashboard	Fixed
46881	3-Low	Wrong CZ translation	Fixed
NA	2-Medium	Update CommonUI usermanual	Fixed
NA		Support E3276	Fixed
NA		Add LTE networks USSD Prompt	Fixed
NA		Update driver	Fixed
NA		Support Win8	Partial Fixed

Version UTPS 22.001.18.68.55

NA		Add customization for FAQ in Germany	Fixed
NA		Modify the string	Fixed
NA		Set the receiving/sending windowssize values	Fixed

Version UTPS 22.001.18.64.55

NA		Delete the installation Bytemobile detected.	Fixed
NA		Add USSD Function operator (26201)	Fixed
NA		Delete TCP timestamp setting	Fixed
NA		Modify the string	Fixed
NA		Modify 4G Network display to LTE operator (26201)	Fixed

Version UTPS 22.001.18.61.55

NA		Support E3131As-2 and Add operator (29702) network name requirement	Fixed
NA			Fixed



Version UTPS 22.001.18.59.55

NA		Support E3131s-2 and Replace the language resources	Fixed
NA			Fixed

Version UTPS 22.001.18.58.55

ID	Level	Summary	Status
NA		Modify default APN and authentication Protoco l;	Fixed
NA			Fixed

Version UTPS 22.001.18.57.55

ID	Level	Summary	Status
NA		Increase the installation Bytemobile detected.	Fixed
NA			Fixed

Version UTPS 22.001.18.56.55

ID	Level	Summary	Status
NA		Set Bytemobile's automatically adapt to the initial value.	Fixed
NA			Fixed

Version UTPS 22.001.18.51.55

ID	Level	Summary	Status
NA		Modify the string	Fixed
NA		Add APN	Fixed

Version UTPS 22.001.18.48.55

ID	Level	Summary	Status
NA		Modify the string	Fixed
NA		Update Driver	Fixed

Version UTPS 22.001.18.47.55

ID	Level	Summary	Status
NA		Modify the string	Fixed
NA			Fixed

Version UTPS 22.001.18.46.55

ID	Level	Summary	Status
NA		Modify when manual selecting Network, the LTE network can not appear in the network list.	Fixed
NA		Modify when manual selecting Network, users can not manually register network successfully.	Fixed

Version UTPS 22.001.18.45.55

ID	Level	Summary	Status
NA		Modify Networkmode is not configurable even if no connection is established.	Fixed



NA		Modify 'Update mechanism: "Check automatically for updates" are not checked in when check help first time.	Fixed
NA		When Auto connection, it can not be canceled.	Fixed
NA		Modify the German character on the Pop when DB is started first.	Fixed
NA		Modify the wording issue for the Data traffic Statistic	Fixed
NA		Modify the character of delete in context menu in German	Fixed
NA		Modify the profile name from ERA to T-Mobile PL.	Fixed
NA		Design the checkboxes on onlineupdate.	Fixed
NA		Support manually select network.	Fixed
NA		Modify the menu of T-Mobile Service	Fixed
NA		Modify the Popup of no supporting SMS when registered to LTE.	Fixed
NA		Modify the onlineupdate can not minimize to tray.	Fixed
NA		Add "Ignore" button on the pop when checked earlier ByteMobile on installation.	Fixed
NA		Support static DNS on WIN7 OS.	Fixed

Version UTPS 22.001.18.43.55

ID	Level	Summary	Status
NA		Modify the setting of Byte Mobile when datacard is connected.	Fixed

Version UTPS 22.001.18.42.55

ID	Level	Summary	Status
NA		Modify the 4G popup message box;	Fixed

Version UTPS 22.001.18.41.55

ID	Level	Summary	Status
7219	2-Medium	Please remove the message "PIN is locked"	Fixed

Version UTPS 22.001.18.40.55

ID	Level	Summary	Status
7219	2-Medium	Please remove the message "PIN is locked"	Fixed
7346	2-Medium	Dialog "Switch Network" is always on the top	Fixed

Version UTPS 22.001.18.39.55

ID	Level	Summary	Status
7288	3-Low	Wording: Save settings during deinstallation on MAC	Fixed
7291	3-Low	Wording and Scaling errors under MAC	Fixed
7322	3-Low	Untranslated strings under MAC	Fixed
7350	3-Low	Signal Strength: Wording is not correct	Fixed
		Insert device will appear verify PUK pop-up when check remember PIN in first launch without device	



		It doesn't pop up ensure window when close Internet Manager if connected.	
--	--	---	--

Version UTPS 22.001.18.38.55

ID	Level	Summary	Status
7321	3-Low	German Wording improvements(Change "Bitte neue PIN erstellen" to: "Bitte neue PIN eingeben.")	Fixed
7354	2-Medium	Support manual search LTE network.	Fixed
		Add close button state in Mac.	Fixed
7219	2-Medium	Optimize launch speed when enable PIN.	Fixed

Version UTPS 22.001.18.37.55

ID	Level	Summary	Status
7291	3-Low	Wording and Scaling errors under MAC	Fixed
7300	2-Medium	By Windows 7 and Windows Vista wrong Registry entry is configured.	Fixed
7301	2-Medium	The registry entry for the Byteclient is not correct.	Fixed
7319	3-Low	Wording: SMS send_receive not possible 4G	Fixed
7320	1-High	The receiving/sending windowssize values are not setted	Fixed
7321	3-Low	German Wording improvements	Fixed
7324	3-Low	Wording: Mouseover Event Tooltip for the Bearer	Fixed
		Support silent uninstall	

Version UTPS 22.001.18.35.55

ID	Level	Summary	Status
7301	1-High	The registry entry for the ByteMobile is not correct.	Fixed
		Set Telekom's ByteClient off in default	Fixed
7303	2-Medium	Modify some string	Fixed
7273	2-Medium	Modify some string in main frame.	Fixed
		Fix bug of import settings.	Fixed

Version UTPS 22.001.18.34.55

ID	Level	Summary	Status
		Modify memory leak	Fixed
		Modify Lte signal display	Fixed
		win7 can't modify tcpwindowssize	Fixed



Version UTPS 22.001.18.33.55

ID	Level	Summary	Status
		Auto APN doesn't work	Fixed

Version UTPS 22.001.18.32.55

ID	Level	Summary	Status
7086	1-High	SIM Card T-Mobile Austria is not working	Fixed
7182	2-Medium	Common UI: Missing information in menu "about"	Fixed
7184	2-Medium	Common UI: Missing information in menu "diagnostics"	Fixed
7244	2-Medium	Available Networks: The Networkmode will switch to Manual Search if the customer clicks on "Available Networks"	Fixed
7259	3-Low	Disabling Connect button when no signal bars presented	Fixed
7263	2-Medium	Wording: Several text windows are cut off	Fixed
7264	3-Low	Wording: Line break requested in pop-up for connection for 4G	Fixed
7265	3-Low	Wording: Pop-up security PIN	Fixed
7267	1-High	Wording: Window "Sending SMS not possible in 4G"	Fixed
7268	1-High	Sending SMS from 4G only mode changes network mode	Fixed
7271	1-High	Installation was successfully with an already installed dashboard! Win7 x64 ENG SP1	Fixed
7276	1-High	Mid risk warning when installing and deinstalling CM software with Kaspersky	Fixed
7277	3-Low	Wording: Previous version of Internet Manager found on MAC	Fixed
7278	1-High	SMS is being sent in 4G mode after pressing ESC key	Fixed
		Disable SpeedManager when insert LTE device	New

Version UTPS 22.001.18.30.55

ID	Level	Summary	Status
7085	Medium	When no signal available, please disable the connect button	Fixed
7158	Low	Scaling errors under Windows installation (Screen of the Installation/Deinstallation Window)	Fixed
7161	Low	Wording issue by Installation/Deinstallation process	Fixed
7163	Medium	Wording Issue Austria: "Telekom Internet Manager" instead of "T-Mobile Internet Manager" in the sub-menu	Fixed
7266	Medium	Wording: No text in window for 4G SMS warning (in English only)	Fixed
7267	High	Wording: Window "Sending SMS not possible in 4G"	Fixed

Version UTPS 22.001.18.29.55

ID	Level	Summary	Status
7146	Medium	Profile settings: Usability if a new Profile has been creating the profile should set as default.	Fixed



7160	Low	Wording issue by Signal strength	Fixed
7163	Medium	Wording Issue Austria: "Telekom Internet Manager" instead of "T-Mobile Internet Manager" in the sub-menu	Fixed
7164	High	Overall performance of dashboard very poor (not responding message in task manager)	Fixed
7166	Medium	Connecting to the network is too slow (up to more than 1 minute).	Fixed
7167	Medium	Disconnecting from the network is too slow (up to more than 1 minute).	Fixed
7168	Medium	Starting the dashboard is too slow (up to more than 1 minute).	Fixed
7169	Medium	Stopping the dashboard is too slow (up to more than 1 minute).	Fixed
7170	Medium	TMNL; wording issue	Fixed
7182	2-Medium	Common UI: Missing information in menu "about"	Fixed
7184	2-Medium	Common UI: Missing information in menu "diagnostics"	Fixed
7206	3-Low	Wording issue: SMS Settings	Fixed
7209	2-Medium	Wrong PUK counter indication - Wording issue or wrong counter reading	Fixed
7177	2-Medium	Auto update starting though it has been disabled	Fixed

Version UTPS 22.001.18.24.55

ID	Level	Summary	Status
		Update the TCPWindowSize when plug the device in XP OS	Fixed
		Show all the SMS in the inbox and send	Fixed
		Stored in the SIM card inside the SMS and phone book to add an icon;	Fixed
		Roaming does not automatically detect and download online upgrade, you can manually	Fixed
		1)At the first initial attach to LTE and if the SMS over SGs request is disabled or if the SMS over SGs is not supported by the network, the customer shall be notified that SMS sent & received functionality is not supported through a pop up message. 2)The pop up message will include a "Do not Show again" option and the Pop-up shall show up every 4G connect attempt till "Do not show again." is checked.	Fixed
		In LTE, SMS services via the connection manager shall work like in existing 2G/3G environment. For the customer, it will be not visible which solution is used to manage SMS. 1)If the customer is trying to send a SMS while attached to LTE and if the SMS over SGs request is disabled or if the SMS over SGs is not supported by the network (Home or visited), the message shall be stored in the Draft Folder marked as "unsent" and a pop up message will appear informing the customer. 2)If the customer clicks on "Send Now", the Connection manager shall switch off LTE and re connect to 3G, send the SMS, then switch back to 4G.	Fixed

Version UTPS 22.001.18.22.55

ID	Level	Summary	Status
6702	3-Low	Replace mechanism not implemented in SMS inbox	Fixed
6895	3-Low	There is no silent installation option for the CUI Huawei	Fixed
7074	3-Low	No comma added after the last contact in the "Send to" line edit	Fixed
7077	2-Medium	Contacts displayed by tab "Contacts" and button "Contacts"	Fixed
7079	3-Low	Duplicates not eliminated when importing new contacts	Fixed
7081	3-Low	Option: Settings / Advanced Settings / New Message Save Mode	Fixed



7082	3-Low	Displaying messages and contacts	Fixed
7084	2-Medium	Change to "Automatic network selection" has no effect	Fixed
7085	2-Medium	When no signal available, please disable the connect button	Fixed
7089	2-Medium	After failing to send an SMS it gets stored in the Sent folder	Fixed
7090	2-Medium	Message SIM card is full	Fixed

Version UTPS 22.001.18.16.55

ID	Level	Summary	Status
6743	2-Medium	Suspend to Ram, auto internet connection not established	Fixed
6775	3-Low	Signal Strength is different between UI and tray	Fixed
6814	3-Low	Spelling and Scaling error in Turkish language on the common UI Huawei	Fixed
6845	3-Low	TMNL; PIN code disable/enable error message	Fixed
6869	3-Low	The SMS layout must be changed	Fixed
6871	3-Low	After deinstallation finishing message box unclear	Fixed
6892	3-Low	Import client settings, general settings missing import	Fixed
6903	2-Medium	PUK needed, cannot be unlocked from CM software	Fixed
6911	2-Medium	The message SIM card is full is not precise enough	Fixed
6957	3-Low	After installation of CM software Airport is activated without permission	Fixed
6991	3-Low	The pop up message that an SMS could not be send disappear after 1 seconds	Fixed
6994	3-Low	Update-message when connecting first time	Fixed
6996	3-Low	Diagnostic window only in English available	Fixed
7007	3-Low	In Messaging, title for Inbox is not fully visible	Fixed
7008	3-Low	Several errors under Diagnostic window	Fixed
7009	3-Low	Wrong message when exporting settings	Fixed
7010	3-Low	By disabling PIN Code or saving PIN code the customer didn't get an security advise.	Fixed
7015	3-Low	The SMS notification is not clickable.	Fixed
7017	3-Low	Errors in the Update Process	Fixed
7018	3-Low	Flashing time for the E352s-5 needs 22 minutes.	Fixed
7019	3-Low	Errors in the License Aggrement Text (German)	Fixed
7020	3-Low	Folder remains in the registry after uninstallation	Fixed
7022	3-Low	Turkish manual must be corrected	Fixed
		Support LTE general requirement;	New
		Add the network of 4G, tips "Super Fast" on mouse over;	New

Version UTPS 22.001.18.09.55

ID	Level	Summary	Status
6791	2-Medium	PIN request text demands 4 digits PIN but its possible to have up to 8 digits	Fixed
		Modify the bug that the "Start automatically when the device is plugged in" is not available.	New



Version UTPS 22.001.18.08.55

ID	Level	Summary	Status
6855	2-Medium	Send SMS will not be stored in "send" folder	Canceled
6682	3-Low	Default profile and APN is wrong for TMUK	Fixed
6705	3-Low	SMS who cannot be delivered in send Box	Fixed
6743	2-Medium	Suspend to Ram, auto internet connection not established	Fixed
6791	2-Medium	PIN request text demands 4 digits PIN but its possible to have up to 8 digits	Fixed
6823	1-High	Wrong link to e-mail services	Fixed
6824	1-High	Wrong link to "Freivolumen" services	Fixed
6829	2-Medium	Wrong default compression level	Fixed
6835	3-Low	Deinstallation keep settings message unclear	Fixed
6843	3-Low	InternetManager and uninstall InternetManager is in the Apple program folder	Fixed
6848	1-High	No roaming connection can be established	Fixed
6854	3-Low	SMS with invalid telephone number is not stored	Fixed
6856	2-Medium	Send SMS will not be stored in "sent" folder (Windows)	Fixed
6858	2-Medium	Delivery report not recieved when saving location is SIM card	Fixed
6863	2-Medium	No popup when connected or disconnected from the internet while CM is minimized in tray	Fixed
6867	1-High	Roaming SIM cannot connect to the internet	Fixed
6868	3-Low	Desktop icon does not start application	Fixed
6872	3-Low	Wording issue at installation of CM installation path input	Fixed
6873	3-Low	Wording issue in first PIN request on installation	Fixed
6874	2-Medium	Network scan "please wait" box not displayed, display bug	Fixed
6881	1-High	Several mid and high risk warnings when installing and deinstalling CM software with kaspersky active	Fixed
6882	3-Low	After installation of CM, PIN request window needs extra klick to input PIN	Fixed
6891	1-High	Misleading labeling and missing of Natco specific content	Fixed
6892	3-Low	Import client settings, general settings missing import	Fixed
6895	1-High	There is no silent installation option for the CUI Huawei	Fixed
6902	2-Medium	PIN request, available trys left - wrong wording	Fixed
6904	1-High	Wrong behaviour in usage history	Fixed
6911	2-Medium	The message SIM card is full is not precise enough	Fixed
		Add FAQ function	New

Version UTPS 22.001.18.07.55

ID	Level	Summary	Status
6661	2-Medium	Wrong language in SMS submenu	Fixed
6676	3-Low	Usage history navigation	Fixed
6685	1-High	First time installation of CM Stick does not initialize	Fixed
6702	1-High	Replace mechanism not implemented in SMS inbox	Fixed
6703	2-Medium	The speedmanager is not well integrated in the Common UI. (false compression settings)	Fixed
6715	1-High	The diagnostic window is not working.	Fixed



6742	2-Medium	Uninstallation problems of CM	Fixed
6744	1-High	Terms & Conditions always displayed in German	Fixed
6747	2-Medium	Network selection menu 4G and automatic options missing	Fixed
6791	2-Medium	PIN request text demands 4 digits PIN but its possible to have up to 8 digits	Fixed
6812	3-Low	Mixed Language for nearly all Natco Languages	Fixed
6814	3-Low	Spelling and Scaling error in Turkish language on the common UI Huawei	Fixed
6819	2-Medium	The installation Language is in English even if the customer set the Language to German	Fixed
6821	2-Medium	Installation languages missing	Fixed
6826	3-Low	The Profile name "T-Mobile HU" is false	Fixed
6827	2-Medium	The customer gets two pop up in roaming case	Fixed
6828	2-Medium	Wrong network name displayed	Fixed
6837	1-High	Deinstallation process is not clean	Fixed
6840	2-Medium	Natco SIM Card Cosmote Romania is not working	Fixed
6844	3-Low	The Program "Uninstall InternetManager" has the name "MobilePartnerUninstaller"	Fixed
6845	1-High	TMNL; PIN code disable/enable error message	Fixed
6853	3-Low	While "Network Scan" the Network "T-Mobile D" would be displayed.	Fixed
6857	2-Medium	Spelling error by sending an SMS.	Fixed
6859	3-Low	PIN settings "changing PIN" has wrong messaging boxes	Fixed
6860	3-Low	Wrong character by the usage history in month view	Fixed
6861	3-Low	The Profile management on the dashboard is false.	Fixed
6865	3-Low	Weak translation under menu item "Security Pin"	Fixed
6868	3-Low	Starting of CM display bug	Fixed
6869	2-Medium	The SMS layout must be changed	Fixed
6872	3-Low	Wording issue at installation of CM installation path input	Fixed
		Add Help button in corner of main window	New
		Fix bugs in Diagnosis	Fixed
		Add language of Macedonian, Albanian, Greek, Romanian, Bulgarian	New

Version UTPS 22.001.18.06.55

ID	Level	Summary	Status
6725	2-Medium	There is no volume limit function in the common UI	Fixed
6745	2-Medium	Usage history date and traffic are interchanged	Fixed
		Add Flags in language selection of install process.	New
		Add Volume Limit function.	New
		Modify start day of week in calendar from Sunday to Monday	New
		Set SMS report off, save SMS in local and SMS center number is editable in default.	New
		Remove extra function in SMS menu.	New
		Move "Check update" button to main menu in Help.	New
		Add automatic update settings in update menu.	New



Version UTPS 22.001.18.04.55

ID	Level	Summary	Status
6594	3-Low	ADN CLI maps only the last 9 digits on SMS	Fixed
6660	3-Low	Wrong time and date format for German	Fixed
6661	2-Medium	Wrong language in SMS sub menu	Fixed
6662	3-Low	"Transmission failed" message box closes itself when transfer sms to SIM went wrong	Fixed
6663	3-Low	Default installation language menu wrong	Fixed
6664	2-Medium	Installation path not editable	Fixed
6665	3-Low	User not logged into the network has to do another network search	Fixed
6669	2-Medium	Dashboard without admin privileges not working	Fixed
6671	3-Low	No publisher name shown in Zero CD dialog	Fixed
6673	3-Low	(National Roaming category)Device is not displaying operator name correctly for manual network search	Fixed
6674	1-High	Network selection mode menu not properly implemented in Internet manager	Fixed
6675	3-Low	Import/Export client settings abort operation	Fixed
6676	3-Low	Usage history navigation	Fixed
6679	3-Low	PIN settings "changing PIN" has wrong messaging boxes	Fixed
6681	3-Low	Deactivating PIN message flows	Fixed
6682	3-Low	Default profile and APN is wrong for TMUK	Fixed
6683	2-Medium	PUK needed message window cannot be aborted	Fixed
6685	1-High	First time installation of CM Stick does not initialize	Fixed
6686	2-Medium	De-installation program not available	Fixed
6687	3-Low	'Abort operation "sending sms", SMS is stored anyway	Fixed
6688	3-Low	"about" telephone number wrong	Fixed
6689	2-Medium	There is no option in the dashboard to enable Delivery Reports for SMS.	Fixed
6692	3-Low	'Incoming new SMS not on top of list	Fixed
6693	1-High	The receiving window size is 129004 Bytes we required 196608 Bytes	Fixed
6694	1-High	The sending window size is 60816 Bytes we required 49152 Bytes	Fixed
6697	2-Medium	No sort functions for SMS folders available	Fixed
6700	1-High	Delivery report for SMS missing	Fixed
6701	2-Medium	Logging function missing	Fixed
6703	2-Medium	The speed manager is not well integrated in the Common UI. (false compression settings)	Fixed
6705	3-Low	SMS who cannot be delivered in send Box	Fixed
6706	3-Low	Option under Auto-connect is missing. (Auto-connect in Roaming case)	Fixed
6707	3-Low	The text under "Network Selection" is in English even if German language is selected	Fixed
6708	3-Low	SMS delivery report not available	Fixed
6709	3-Low	During "Network Scan" there is no progress bar available	Fixed
6710	3-Low	There is no export function to Outlook available . (Addressbook)	Fixed
6712	3-Low	Phone book on PC/SIM card cannot be selected	Fixed
6713	3-Low	The bearer indication on the tray icon is not correct and doesn't correspondent with the bearer indication on dashboard	Fixed
6714	3-Low	The options under Network selection are not corresponding with our specification	Fixed
6716	3-Low	Autoconnect doesn't work if the computer wakes up from hibernation or standby	Fixed
6717	2-Medium	No function for "start connection manager by Plugin of the device"	Fixed



6718	2-Medium	No function for "shutdown connection manager by Plug out of the device"	Fixed
6719	3-Low	The export client settings functions generate an binary file	Fixed
6720	3-Low	On volume statistic the monthly start can only be set from 1 to 28 . 29 to 31 is missing	Fixed
6722	3-Low	There is no setting available to change the start view of the connection manager	Fixed
6723	3-Low	There is no setting available "application window always on top"	Fixed
6724	2-Medium	There is no setting available "auto reconnect after connection break-down"	Fixed
6726	1-High	Auto SIM detection not working	Fixed
6727	3-Low	Error message during deinstallation of the Internet Manager	Fixed
6728	2-Medium	Import client settings will not take affect	Fixed
6729	2-Medium	Popup window for class 0 SMS lacks close button	Fixed
6732	3-Low	Not all settings are stored in the external file when using "Export Settings"	Fixed
6735	1-High	When SIM card in roaming mode, wrong connection profile is selected.	Fixed
6738	2-Medium	Request of PIN code option is not saved	Fixed
6739	3-Low	First time installation of CM import settings window	Fixed
6741	1-High	First time installation of CM wrong message box of deactivated PIN is displayed	Fixed
6742	2-Medium	Uninstallation problems of CM	Fixed
6743	2-Medium	Suspend to Ram, auto internet connection not established	Fixed
6744	1-High	Terms & Conditions always displayed in German	Close
6745	2-Medium	Usage history date and traffic are interchanged	Fixed
6746	2-Medium	Front UI, available networks has to be changet into disconnected	Fixed
6753	2-Medium	Front UI, available networks has to be changet into not connected	Fixed
6770	2-Medium	Sending sms: Please rename the label "reply to" ("antworten")	Fixed
6791	2-Medium	PIN request text demands 4 digits PIN but its possible to have up to 8 digits	Fixed
		The result of manual search will sort by network type	New
		Move 'Clear History' button up in Usage History	New
		All number and date format use European format.	New
		Use new Profile Management UI	New
		Add automatic update settings UI	New
		Modify network type tooltips in main window	New
		Modify first launch process	New
		The connect button in main window show "disconnecting..." when disconnect from network	New
		The main window shows a star on SMS icon when new SMS arrives.	New
		Remove "Available Network" menu in tray menu when connected to internet.	New
		Set auto reconnect times to 10	New
		Add flags in language selection	New
		Modify signal strength tooltips in main window	New
		Add dynamic icon in manual searching network.	New

Version UTPS22.001.12.01.55

ID	Level	Summary	Status
NA		Setup and Uninstall: 1. Design the setup and uninstall UI according to the common UI. 2. In the process of install, some tips will display.	Fixed



		3.	
NA		<p>First launch, Connect and Main Frame</p> <ol style="list-style-type: none"> 1. Detect user settings and prompt user to import when the dashboard launch for the first time. 2. User should to enter verify PIN when the dashboard launch for the first time. 3. Prompt user to connect when the dashboard launch for the first time. 4. The main window is fixed size, includes close and minimize buttons. When user click close button, the application will close if there is no current connection, otherwise it will prompt user to disconnection. 5. The main window includes signal strength, network indicator, network name. All of them have tooltips when hovering. Connection status indicator and roaming indicator is also in main frame. 6. User can click "Connect" to surf Internet. There is an animation in connecting process and indicate the network status both in main window and system tray. It will also prompt user to connect to roaming network. 7. When the application receives new SMS, an icon will display in main window. It indicates new SMS number and can view inbox when user clicks. 8. When user connects to network, the main window will display total time and data of this connection. When click the text, it will jump to usage history. 9. When there is no SIM, no device, PIN or PUK locked, the main windows will hide all elements. 10. When click network name indicator, it will jump to view available network. 11. "Menu" button is a switch of bottom menu which includes Message, Available Network, Usage History, T-Mobile Offers, Settings and Help. 12. The system tray tooltips will changes according to signal strength, connection status and current network type. 13. User can access to online update through Help->About. 14. T-Mobile Service includes website and My T-Mobile (Online Account) menu. 	Fixed
NA		<p>SMS and Contacts:</p> <ol style="list-style-type: none"> 1. SMS and Contacts UI are design according to the common UI style. 2. If Inbox have unread sms,the title will be bord. 3. The SMS and contacts are displayed according to the location of SIM or local. 4. Save the phone numbers automatically named My Number, My Number is stored in local as a normal record 5. Unread message content is black. If the message is read, the content becomes gray. 	Fixed
NA		<p>Online Update:</p> <ol style="list-style-type: none"> 1. Customize the update function. 2. The update UI style is according to the common UI style. 	Fixed
NA		<p>Available Networks:</p> <ol style="list-style-type: none"> 1. Click the Available Networks to search the available network. 2. Double Click the name of network to register it. 	Fixed
NA		<p>Usage History:</p> <ol style="list-style-type: none"> 1. The daily and month traffic flow can be refered in this function. 2. The UI Usage History is according to common UI style. 	Fixed
NA		<p>Setting:</p> <ol style="list-style-type: none"> 1. Connect function is customized when launching the software; 2. Customize the language of German; 3. Add the function Speed Optimizer in windows; 4. All the setting auto save when click back or close; 5. Add the function of importf and save Client Settings; 6. Auto Solutions PIN if checked remember PIN; 	Fixed

3.0.0 Known limitations and issues

ID	Level	Summary	Status
7323	3-Low	Zero CD drive is still shown after a sucessful installation	
7339	3-Low	Please provide a function /? for Silent Installer and Uninstaller.	



7340	3-Low	Please provide an optional parameter for Silent Uninstaller to keep / remove existing settings remove existing settings	
7341	3-Low	Please provide the software version & driver version (on zero cd) in menu "diagnostics"	
7351	3-Low	Dashboard Window pops-up at wrong position in case of using an extended desktop in Windows XP	
7352	3-Low	Usage History: The data Usage from the actual Session should be added directly too the Day Usage	
7357	3-Low	Wording error in the update information text.	
7358	3-Low	Uninstaller: Publisher is unknown	