

Product name	Confidentiality level
E303	CONFIDENTIAL
Product version	Total 6 pages
V200R001	

Huawei E303 TCPU-21.157.31.00.588

Release Notes

Prepared by
Reviewed by

E303 Team
E303 Team

Date 2012-04-5
Date 2012-04-5



Huawei Technologies Co., Ltd.

All rights reserved



Revision History

Date	Revision Version	Change Description	Author
2012-04-5	1.00	Initial	E303 team



Table of Contents

1	Main Features	4
2	Hardware.....	4
2.1	Version Description: CH2E303SM	4
2.2	Hardware specifications	4
2.3	Improvements in the previous version	5
2.4	Known limitations and issues	5
3	Firmware.....	5
3.1	Version Description: 21.157.31.00.588	5
3.2	Software specifications.....	5
3.3	New features	6
3.4	Improvements in the previous version	6
3.5	Known limitations and issues	6

Huawei E303 Release Notes

1 Main Features

The E303 supports the following standards:

- HSDPA packet data service of up to 7.2 Mbit/s
- HSUPA packet data service of up to 5.76 Mbit/s
- WCDMA PS domain data service of up to 384 Kbit/s
- EDGE packet data service of up to 236.8 Kbit/s
- GPRS packet data service of up to 85.6 Kbit/s
- SMS based on CS/Packet Switched (PS) domain of GSM and WCDMA
- Plug and play (PnP)
- USSD Service
- Micro Secure Digital Memory Card up to 32GB
- Standard USB interface, auto installation

2 Hardware

2.1 Version Description: CH2E303SM

2.2 Hardware specifications

Item	Specifications
Technical standard	<ul style="list-style-type: none">• WCDMA/ HSDPA• HSUPA• GSM/GPRS/EGPRS
External interfaces	USB interface: USB 2.0 high-speed interface
	LED: indicating the status of the network
	SIM/USIM card: standard 6-pin SIM card interface
	SD card interface: Standard micro SD card interface
Maximum transmitter power	HSDPA/HSUPA/ WCDMA: +22 dBm (Power Class 3)
	GSM/GPRS 850/900 MHz: +33 dBm (Power Class 4)
	GSM/GPRS 1800 MHz/1900 MHz: +30 dBm (Power Class 1)
	EDGE 850/900MHz: +27 dBm (Power Class E2)
	EDGE 1800MHz/1900MHz: +26 dBm (Power Class E2)
Static receiver	HSDPA/HSUPA/WCDMA: compliant with 3GPP TS 25.101 (R6)

Item	Specifications
sensitivity	GSM/GPRS/EDGE 850/900/1800/1900 MHz: compliant with 3GPP TS 05.05
Dimensions (D × W × H)	71 mm × 26 mm × 12.5 mm
Weight	< 30 g
Note: 3GPP = The 3rd Generation Partnership Project LED = light-emitting diode SIM = subscriber identity module TS = technical specification USIM = UMTS subscriber identity module	

2.3 Improvements in the previous version

None.

2.4 Known limitations and issues

None.

3 Firmware

3.1 Version Description: 21.157.31.00.588

3.2 Software specifications

Item	Specifications
Data service	GPRS: <ul style="list-style-type: none"> • Uplink: 85.6 kbit/s • Downlink: 85.6 kbit/s EDGE: <ul style="list-style-type: none"> • Downlink: 236.8 kbit/s WCDMA PS domain: <ul style="list-style-type: none"> • Uplink: 384 kbit/s • Downlink: 384 kbit/s HSDPA: <ul style="list-style-type: none"> • 7.2Mbit/s HSUPA: <ul style="list-style-type: none"> • 5.76 Mbit/s
SMS	Based on CS domain/PS domain of GSM and WCDMA



3.3 New features

No.	Description

3.4 Improvements in the previous version

Version	Description

3.5 Known limitations and issues

No.	Description