

Product name	Confidentiality level
E5372s	CONFIDENTIAL
Product version	Total 8 pages
V1.0	

HUAWEI E5372 Release Notes

V1.0

Prepared by	Shi Lei	Date	2013-10-18
Reviewed by	Zhang Kaibing	Date	2013-10-18
Approved by		Date	



Huawei Technologies Co., Ltd.

All rights reserved

Revision Record

Date	Revision version	FW-WebUI/HiLink Version	Change Description	Author
2013-10-18	1.0	FW21.236.03.00.414	The 1 st Version for Open Market	Shi Lei

Table of Contents

1	Main Features	4
2	Hardware.....	4
2.1	Version Description	4
2.2	Hardware Specifications	4
2.3	Improvements in the Previous Version	5
2.4	Known Limitations and Issues	5
3	Firmware	6
3.1	Version Description	6
3.2	Firmware Specifications	6
3.3	Improvement in the Previous Version	6
3.4	Known Limitations and Issues	6
4	Web UI	7
4.1	Version Description	7
4.2	Web UI Specifications	7
4.3	Improvement in the Previous Version	7
4.4	Known Limitations and Issues	7



HUAWEI E5372s Release Notes V1.0

Abbreviations	Description

1 Main Features

The E5372s supports the following standards:

- *LTE data service up to 150 Mbit/s(cat 4)*
- *DC-HSPA+ data service up to 43.2 Mbit/s*
- *HSPA+ data service up to 21.6 Mbit/s*
- *HSDPA packet data service of up to 14.4 Mbit/s*
- *HSUPA data service up to 5.76 Mbit/s*
- *WCDMA PS domain data service of up to 384 Kbit/s*
- *Equalizer and receive diversity*
- *microSD Card Slot (Up to 64G)*
- *Data and SMS Service*
- *WEB UI, Auto connect*
- *Plug and play*
- *Standard USB interface*
- *Support Windows XP/Windows 7/Windows 8/MAC*
- *Auto PIN*
- *Support charging to other device*
- *Support menu operation on LCD*
- *Support WiFi 2.4G/5G*

2 Hardware

2.1 Version Description

Hardware Version:	CL1E5372SM
Platform & Chipset:	Balong Hi6920 V7R1, Broadcomm 43241

2.2 Hardware Specifications

Item	Specifications	
Technical Standard	3GPP	R99/R5/R6/R7/R8/R9
	IEEE	802.11b/g/n
Operating Frequency	LTE	FDD B7(2600), B1(2100), B3(1800), B8(900), B20(800) MHz
	UMTS	B1(2100), B2(1900), B8(900), B5(850) MHz
	GSM	1900,1800,900,850 MHz
Maximum Transmitter Power	LTE	+23dBm (Class 3)
	UMTS	+24dBm (Class 3)



	GSM	GSM/GPRS 850/900MHz: +32dBm (Class 4) GSM/GPRS 1800/1900MHz: +29dBm (Class 1) EDGE 850/900MHz: +26dBm (Class E2) EDGE 1800/1900MHz: +25dBm (Class E2)
Maximum Power Consumption	WiFi: 100mW	
Memory	256M NAND Flash, 128M DDR SDRAM	
WLAN Rate	802.11b: 11Mbit/s, 5.5Mbit/s, 2Mbit/s, 1Mbit/s 802.11g: 54Mbit/s, 48Mbit/s, 36Mbit/s, 24Mbit/s, 18Mbit/s, 12Mbit/s, 9Mbit/s, 6Mbit/s 802.11n: MCS0-MCS7(WiFi 1x1), MCS0-MCS15(WiFi 2x2)	
External Interfaces	USB: Micro USB	
	LED: 1.45 inch TFT LCD	
	SIM/USIM card: 6pin, 1.8/3V	
	SD card: up to 64GB	
Display	TFT, 1.45inch	
Keys	1 Power, 1 Menu, 1 Reset	
Antenna	Internal	
Static Receiver Sensitivity	Compliant with 3GPP TS 36.101(R8) for LTE, TS 25.101(R7) for UMTS and TS 05.05(R99) for GSM.	
Battery	1780mAh	
Dimensions (D × W × H)	99*62*14.4mm	
Weight	<130g(include Battery)	
Ambient Temperature	0-35°C	
Humidity	5%-95%	

2.3 Improvements in the Previous Version

Index	Case ID	Issue Description
Hardware Version		CL1E5372SM
Previous Hardware Version		CL1E5372SM
NA		

2.4 Known Limitations and Issues

Index	Case ID	Issue Description
NA		



3 Firmware

3.1 Version Description

Firmware Version:	21.236.03.00.414
Baseline information	Hi6920 V7R1 C35B236

3.2 Firmware Specifications

Item	Specifications
1	Web language is German and English,default is German.
2	SSID: HUAWEI-E5372-XXXX.(XXXX is last four digits of MAC,MAC Address is capital) Wi-Fi authentication: WPA/WPA2-PSK Wi-Fi encryption mode : AES+TKIP Wi-Fi key : 11 random characters (includes only digit and letter) WLAN country : GERMANY Wi-Fi maximum access user number : 10
3	Support multi-SIM card feature.
4	PLMN=26202 Operator Name=Vodafone.de PLMN=26201 Operator Name=Telekom.de PLMN=26207 Operator Name=o2 - de PLMN=26203 Operator Name=E-Plus
5	APN Retry is disable
6	Modify all "Mobile WiFi" to "WLAN to GO" in WebUI Modify all "Wi-Fi" to "WLAN" in WebUI

3.3 Improvement in the Previous Version

Index	Case ID	Issue Description
Firmware Version		21.236.03.00.414
Previous Firmware Version		
1		
2		
3		
4		
5		

3.4 Known Limitations and Issues

Index	Case ID	Issue Description

Index	Case ID	Issue Description

4 Web UI

4.1 Version Description

Web UI Version: 13.100.08.00.414

4.2 Web UI Specifications

Item	Specifications
1	

4.3 Improvement in the Previous Version

Index	Case ID	Issue Description
WebUI Version		13.100.08.00.414
Previous Version	WebUI	

4.4 Known Limitations and Issues

Index	Case ID	Issue Description
1	NA	NA



Index	Case ID	Issue Description