

Product name	Confidentiality level
E5372	CONFIDENTIAL
Product version	Total 7 pages
V2.0	

# HUAWEI E5372 Release Notes

## V2.0

Prepared by	Zhang Lanbing	Date	2013-10-22
Reviewed by	Zhang Kaibing	Date	2013-10-22
Approved by		Date	



Huawei Technologies Co., Ltd.

All rights reserved

## Revision Record

Date	Revision version	FW-WebUI/HiLink Version	Change Description	Author
2013-10-22	2.0	FW21.236.03.01.1056	The 2 <sup>nd</sup> Version for Empyrean	Zhanglanbing

## Table of Contents

1	Main Features.....	4
2	Hardware .....	4
2.1	Version Description.....	4
2.2	Hardware Specifications.....	4
2.3	Improvements in the Previous Version .....	5
2.4	Known Limitations and Issues .....	5
3	Firmware.....	6
3.1	Version Description.....	6
3.2	Firmware Specifications .....	6
3.3	Improvement in the Previous Version.....	6
3.4	Known Limitations and Issues .....	6
4	Web UI .....	7
4.1	Version Description.....	7
4.2	Web UI Specifications .....	7
4.3	Improvement in the Previous Version.....	7
4.4	Known Limitations and Issues .....	7

## HUAWEI E5372s Release Notes V2.0

Abbreviations	Description

### 1 Main Features

The E5372s supports the following standards:

- *LTE data service up to 150 Mbit/s(cat 4)*
- *DC-HSPA+ data service up to 43.2 Mbit/s*
- *HSPA+ data service up to 21.6 Mbit/s*
- *HSDPA packet data service of up to 14.4 Mbit/s*
- *HSUPA data service up to 5.76 Mbit/s*
- *WCDMA PS domain data service of up to 384 Kbit/s*
- *Equalizer and receive diversity*
- *microSD Card Slot (Up to 64G)*
- *Data and SMS Service*
- *WEB UI, Auto connect*
- *Plug and play*
- *Standard USB interface*
- *Support Windows XP/Windows 7/Windows 8/MAC*
- *Auto PIN*
- *Support charging to other device*
- *Support menu operation on LCD*
- *Support WiFi 2.4G/5G*

### 2 Hardware

#### 2.1 Version Description

Hardware Version:	CL1E5372SM
Platform & Chipset:	Balong Hi6920 V7R1, Broadcomm 43241

#### 2.2 Hardware Specifications

Item	Specifications	
Technical Standard	3GPP	R99/R5/R6/R7/R8/R9
	IEEE	802.11b/g/n
Operating Frequency	LTE	FDD B7(2600), B1(2100), B3(1800), B8(900), B20(800) MHz
	UMTS	B1(2100), B2(1900), B8(900), B5(850) MHz
	GSM	1900,1800,900,850 MHz
Maximum Transmitter Power	LTE	+23dBm (Class 3)
	UMTS	+24dBm (Class 3)

	GSM	GSM/GPRS 850/900MHz: +32dBm (Class 4) GSM/GPRS 1800/1900MHz: +29dBm (Class 1) EDGE 850/900MHz: +26dBm (Class E2) EDGE 1800/1900MHz: +25dBm (Class E2)
Maximum Power Consumption	WiFi: 100mW	
Memory	256M NAND Flash, 128M DDR SDRAM	
WLAN Rate	802.11b: 11Mbit/s, 5.5Mbit/s, 2Mbit/s, 1Mbit/s 802.11g: 54Mbit/s, 48Mbit/s, 36Mbit/s, 24Mbit/s, 18Mbit/s, 12Mbit/s, 9Mbit/s, 6Mbit/s 802.11n: MCS0-MCS7(WiFi 1x1), MCS0-MCS15(WiFi 2x2)	
External Interfaces	USB: Micro USB	
	LED: 1.45 inch TFT LCD	
	SIM/USIM card: 6pin, 1.8/3V	
	SD card: up to 64GB	
Display	TFT, 1.45inch	
Keys	1 Power, 1 Menu, 1 Reset	
Antenna	Internal	
Static Receiver Sensitivity	Compliant with 3GPP TS 36.101(R8) for LTE, TS 25.101(R7) for UMTS and TS 05.05(R99) for GSM.	
Battery	1780mAh	
Dimensions (D × W × H)	99*62*14.4mm	
Weight	<130g(include Battery)	
Ambient Temperature	0-35°C	
Humidity	5%-95%	

## 2.3 Improvements in the Previous Version

Index	Case ID	Issue Description
Hardware Version	CL1E5372SM	
Previous Hardware Version	CL1E5372SM	
NA		

## 2.4 Known Limitations and Issues

Index	Case ID	Issue Description
NA		

## 3 Firmware

### 3.1 Version Description

Firmware Version:	21.236.03.01.1056
Baseline information	Hi6920 V7R1 C35B236

### 3.2 Firmware Specifications

Item	Specifications
1	Web language is English.
2	SSID: HUAWEI-E5372-****.(****is last four digits of MAC,MAC Address is capital) Wi-Fi authentication: WPA/WPA2-PSK Wi-Fi encryption mode : AES+TKIP Wi-Fi key : eight digital random number(include numbers and character) WLAN country : PHILIPPINES Wi-Fi maximum access user number : 10
3	LTE capability to support Cat3.

### 3.3 Improvement in the Previous Version

Index	Case ID	Issue Description
Firmware Version		21.236.03.01.1056
Previous Firmware Version		21.236.03.00.1056
1		
2		
3		
4		
5		

### 3.4 Known Limitations and Issues

Index	Case ID	Issue Description



Index	Case ID	Issue Description

## 4 Web UI

### 4.1 Version Description

Web UI Version: 13.100.08.01.1056

### 4.2 Web UI Specifications

Item	Specifications
1	

### 4.3 Improvement in the Previous Version

Index	Case ID	Issue Description
WebUI Version		13.100.08.01.1056
Previous Version	WebUI	13.100.08.00.1056

### 4.4 Known Limitations and Issues

Index	Case ID	Issue Description
1	NA	NA