

Product name	Confidentiality level
E367	Secret
Product version	Total 6 pages
V100R001	

## Huawei E367 Release Notes

Prepared by  
Reviewed by

E367 Team  
E367 Team

Date 2011-04-27  
Date 2011-04-27



Huawei Technologies Co., Ltd.

All rights reserved



## Revision History

Date	Revision Version	Change Description	Author
2011-04-27	1.00	Initial	E367 Team



## Table of Contents

1	Main Features.....	4
2	Hardware .....	4
2.1	Version Description: CP1E367UM .....	4
2.2	Hardware specifications .....	4
2.3	Improvements in the previous version .....	5
2.4	Known limitations and issues .....	5
3	Firmware.....	6
3.1	Version Description: 11.810.09.21.307 .....	6
3.2	Software specifications .....	6
3.3	New features.....	6
3.4	Improvements in the previous version .....	6
3.5	Known limitations and issues .....	6



# Huawei E367 Release Notes

## 1 Main Features

The E367 supports the following standards:

- | HSPA+ packet data service of up to 28.8 Mbit/s
- | HSDPA packet data service of up to 14.4 Mbit/s
- | HSUPA packet data service of up to 5.76 Mbit/s
- | WCDMA PS domain data service of up to 384 Kbit/s
- | EDGE packet data service of up to 236.8 Kbit/s
- | GPRS packet data service of up to 85.6 Kbit/s
- | SMS based on CS/Packet Switched (PS) domain of GSM and WCDMA, supporting group sending of messages
- | Plug and play (PnP)
- | USSD service
- | Micro Secure Digital Memory Card up to 32GB
- | Standard USB 2.0 High Speed interface, auto installation, convenient for use
- | Windows XP/ Windows Vista/ Windows 7/ MAC Operation System(OS)

## 2 Hardware

### 2.1 Version Description: CP1E367UM

### 2.2 Hardware specifications

Item	Specifications
Technical standard	<ul style="list-style-type: none"><li>  HSPA+/UMTS: 3GPP R7</li><li>  GSM/GPRS/EDGE: 3GPP R99</li></ul>
External interfaces	USB interface: USB 2.0 high-speed interface
	LED: indicating the status of the network
	SIM/USIM card: standard 6-pin SIM card interface
	SD card interface: Standard micro SD card interface
Maximum transmitter power	HSPA+/UMTS: +24 dBm (Power Class 3)
	GSM/GPRS 850/900 MHz: +33 dBm (Power Class 4)
	GSM/GPRS 1800 MHz/1900 MHz: +30 dBm (Power Class 1)
	EDGE 850/900MHz: +27 dBm (Power Class E2)

Item	Specifications
	EDGE 1800MHz/1900MHz: +26 dBm (Power Class E2)
Static receiver sensitivity	HSPA+/UMTS: compliant with 3GPP TS 25.101 (R6)
	GSM/GPRS/EDGE 850/900/1800/1900 MHz: compliant with 3GPP TS 05.05 (R99)
Maximum power consumption	$\leq 2.5\text{ W}$
Power supply	5 V/500 mA (USB interfaces)
Dimensions (D × W × H)	83mm × 26mm × 13.2mm
Weight	<50 g
Temperature	<ul style="list-style-type: none"><li>Operating: -10°C to +45°C</li><li>Storage: -40°C to +70°C</li></ul>
Humidity	5% to 95%
<b>Note:</b> <i>3GPP = The 3rd Generation Partnership Project</i> <i>EDGE = enhanced GPRS</i> <i>LED = light-emitting diode</i> <i>SIM = subscriber identity module</i> <i>TS = technical specification</i> <i>USIM = UMTS subscriber identity module</i>	

### 2.3 Improvements in the previous version

None.

### 2.4 Known limitations and issues

None.

### 3 Firmware

#### 3.1 Version Description: 11.810.09.21.307

#### 3.2 Software specifications

Item	Specifications
Data service	<p>GSM CS domain:</p> <ul style="list-style-type: none"><li>Uplink: 9.6/14.4 kbit/s</li><li>Downlink: 9.6/14.4 kbit/s</li></ul> <p>GPRS:</p> <ul style="list-style-type: none"><li>Uplink: 85.6 kbit/s</li><li>Downlink: 85.6 kbit/s</li></ul> <p>EDGE:</p> <ul style="list-style-type: none"><li>Uplink: 236.8 kbit/s</li><li>Downlink: 236.8 kbit/s</li></ul> <p>UMTS CS domain</p> <ul style="list-style-type: none"><li>Uplink: 64 kbit/s</li><li>Downlink: 64 kbit/s</li></ul> <p>UMTS PS domain:</p> <ul style="list-style-type: none"><li>Uplink: 384 kbit/s</li><li>Downlink: 384 kbit/s</li><li>HSPA+: 28.8 Mbit/s</li><li>HSDPA: 14.4 Mbit/s</li><li>HSUPA: 5.76 Mbit/s</li></ul>
SMS	Based on CS domain/PS domain of GSM and WCDMA

#### 3.3 New features

None

#### 3.4 Improvements in the previous version

Solve the Spain YOIGO can not feedback HPLMN in 6 minutes.

#### 3.5 Known limitations and issues

None